



Innovation, Quality and Proven Performance.

The company you trust for unrivalled label materials.



Products that Perform.

At Brady, we have a steadfast commitment to provide our customers with unrivalled products and an unrivalled buying experience. We use customer feedback to continually design, improve and innovate our products to serve all of your needs, from general identification solutions to custom engineered labels.

With more than 20 label material patents, Brady works to provide customers with innovative products of the highest technological quality. Our Tobey Research Centre material science team, including 10 PhD's, develop and rigorously test all of our products to ensure high performance, industry compliance, durability and reliability. Our world-class label series are engineered to be long-lasting, withstand the harshest environments and work for a variety of applications. When it comes to identifying and tracking products, equipment and components, Brady is the company you trust when performance matters most.

Learn about all of our label products, including:

- WorkHorse Series Harsh Environment Labels
- UltraTemp Series High Heat Labels
- MetaLabel Series Metallised Labels
- CleanLift Series Removable Labels
- ToughBond Series Aggressive Adhesive Labels
- VisAlert Series Indicating Labels
- Defender Series Tamper-evident Labels

Product Performance Icons

These icons can help you easily identify product performance features that fit your needs. Look for these icons when using our parts catalogue, website, and more!



WorkHorse Series Harsh Environment Labels

- ENGINEERED FOR THE HARSHTEST ENVIRONMENTS
- SURVIVES HARSH CHEMICALS, ABRASION AND TEMPERATURES
- BROAD RANGE OF APPLICATIONS

Brady WorkHorse Series Harsh Environment Labels are custom engineered to meet the exact needs of the harshest environments across many different applications. They are made of durable, heavy-duty materials with adhesives to keep the label adhered to smooth surfaces through exposure to harsh chemicals, abrasion and temperatures.

Available materials include: UL, cUL, and CSA recognised as well as RoHS and REACH compliant. These series are ideal for high quality/density barcoding, product and component identification, rating and serial plates, asset and inventory tracking and general identification.

| B# | Base material | Adhesive | Colour | Finish | Application | Solvent | Fuel/Oil | Abrasion | High Heat | Low Temp. | Outdoor |
|--------|---------------|-----------|----------------------------------------------------------------------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------|----------|-----------|-----------|---------|
| B-420 | Polyester | Permanent | White | Gloss | Pre-process labeling of Printed Circuit Board and Electronic Component process labelling, especially designed for laser engraving and die-cutting | ✓ | | ✓ | ✓ | ✓ | |
| B-421 | Polyester | Permanent | Black | Matt | Pre-process labeling of Printed Circuit Board and Electronic Component process labelling, especially designed for laser engraving and die-cutting | ✓ | | ✓ | ✓ | ✓ | |
| B-423 | Polyester | Permanent | White | Gloss | Component/Equipment ID, Barcoding, Asset tracking, Rating plates, General ID | | ✓ | ✓ | ✓ | ✓ | ✓ |
| B-423Y | Polyester | Permanent | Yellow | Gloss | Component/Equipment ID, Barcoding, Asset tracking, Rating plates, General ID | | ✓ | ✓ | ✓ | ✓ | ✓ |
| B-425 | Polypropylene | Permanent | White | Matt | Excellent solvent resistance for barcode labels in chemical environments | ✓ | ✓ | | | ✓ | |
| B-430 | Polyester | Permanent | Clear | Gloss | Rating and serial plates, overlaminates | | ✓ | ✓ | ✓ | ✓ | ✓ |
| B-439 | Vinyl | Permanent | Silver, Gold, Red, Purple, Yellow, Orange, Green, Black, Blue, White | Matt | Rating plates, general purpose labelling | | | ✓ | | ✓ | ✓ |
| B-459 | Polyester | Permanent | White | Matt | Component/Equipment ID, Barcoding, Asset tracking, Rating plates, General ID | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| B-473 | Polyester | Permanent | White | Gloss | Component/Equipment ID, Barcoding, Asset tracking, Rating plates, General ID | ✓ | ✓ | | ✓ | ✓ | |
| B-488 | Polyester | Permanent | White | Matt | Component/Equipment ID, Barcoding, Asset tracking, Rating plates, General ID | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| B-7513 | Polyester | Permanent | White | Gloss | Component/Equipment ID, Barcoding, Asset tracking, Rating plates, General ID | ✓ | ✓ | | ✓ | ✓ | ✓ |
| B-7517 | Polypropylene | Permanent | Clear | Gloss | Rating and serial plates, overlaminates | ✓ | ✓ | | | ✓ | |
| B-7519 | Polyethylene | Permanent | White | Gloss | Component/Equipment ID, Barcoding, Asset tracking, Rating plates, General ID | | ✓ | | | ✓ | |
| B-8117 | Polyester | Permanent | Black | Matt | Superior barcode readability and excellent fluid resistance in electrical, electronics and automotive industry. | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| B-8591 | Polymer | Permanent | White, Silver, Black, Yellow | Gloss | Identify outdoor equipment for 10+ years. Ideal for Component / Equipment ID, Barcoding, Asset tracking, Rating plates, General ID | | | ✓ | ✓ | ✓ | ✓ |
| B-966B | Polyester | Permanent | Clear | Gloss | Overlaminates, release coated (no printable topcoat) very good high temperature and solvent resistance | | ✓ | ✓ | ✓ | ✓ | ✓ |

Quality that Lasts.




Defender Series Tamper-evident Labels

- IRREVERSIBLE, VISIBLE EVIDENCE OF TAMPERING
- PROTECTS WARRANTY FRAUD, PRODUCT TAMPERING OR ASSET THEFT
- CHEMICAL, TEMPERATURE AND ABRASION RESISTANCE

Brady Defender Series tamper-evident seals and tamper indicating labels are custom engineered to provide print on demand, irreversible, visible evidence of label tampering to protect against warranty fraud, product tampering, altering, misuse or asset theft. Multiple options are available, including fracturing labels and labels that leave a footprint when removed. Ideal for product and component identification, rating and serial plates, these quality labels are engineered for superior chemical, temperature and abrasion resistance.

| B# | Base material | Adhesive | Colour | Finish | Application | Solvent | Fuel/Oil | Abrasion | High Heat | Low Temp. | Removable | Tamper Ind. | Outdoor |
|--------|----------------------|--------------------------|-----------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------|----------|-----------|-----------|-----------|-------------|---------|
| B-362 | Metallised Vinyl | Permanent | Metallic silver | Matt | Tamper indicating, Asset tracking, prevent one-piece label removal | | ✓ | | | ✓ | | ✓ | |
| B-429 | Polyolefin | Permanent | White | Satin | Tamper indicating, prevent one-piece label removal | | ✓ | ✓ | | ✓ | | ✓ | |
| B-438 | Metallised Polyester | Permanent "checkerboard" | Metallic silver | Matt | Tamper indicating, Asset tracking, leave a checkerboard footprint pattern when removed | ✓ | ✓ | | | ✓ | | ✓ | |
| B-7351 | Vinyl | Permanent | White | Matt | Tamper indicating, prevent one-piece label removal | | ✓ | ✓ | | ✓ | | ✓ | |
| B-7546 | Polyester | Permanent "VOID" | White | Gloss | Tamper indicating, Asset tracking, leave a "VOID" footprint when removed | | ✓ | | ✓ | ✓ | | ✓ | ✓ |
| B-7566 | Polyester | Permanent "VOID" | Clear | Gloss | Tamper indicating, leave a "VOID" footprint when removed. In addition, a "VOID" pattern will appear on the top surface of the label in order to prevent it from being reused | | ✓ | | | ✓ | | ✓ | ✓ |
| B-7576 | Metallised Polyester | Permanent "VOID" | Metallic silver | Matt | Tamper indicating, Asset tracking, leave a "VOID" footprint when removed. In addition, a "VOID" pattern will appear on the top surface of the label in order to prevent it from being reused | ✓ | ✓ | | ✓ | ✓ | | ✓ | |



UltraTemp Series High Heat Labels

- SURVIVES HIGH HEAT (260°C) AND HARSH CHEMICALS
- PERFORMS IN REFLOW, WAVE SOLDER AND BOARD WASHING
- ESD AND AUTO-APPLY EQUIPMENT AVAILABLE

Brady UltraTemp High Heat Labels can withstand temperatures up to 260°C for 5 minutes along with powerful chemicals and cleaning processes used in PCB assembly, equipment and component manufacturing. These high heat label materials can improve your processes and reduce operating costs by identifying products throughout the entire manufacturing process.

Brady UltraTemp Series label materials are rigorously tested for heat, chemical and abrasion resistance to ensure optimal performance in reflow, wave solder and board washing processes. Available in a variety of options, including anti-static and labels that can be used with auto-apply equipment, this series is ideal for printed circuit board identification or any high heat applications.

| B# | Base material | Adhesive | Colour | Finish | Application | Solvent | Fuel/Oil | Abrasion | High Heat | Low Temp. | Removable | electrostatic dissipative |
|--------|---------------|-----------|--------|--------|--------------------------------------------------------------------------------------------------------------------------------|---------|----------|----------|-----------|-----------|-----------|---------------------------|
| B-436 | Polyimide | Removable | Amber | Matt | Printed Circuit Board and Component process labelling, cleanly removable | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| B-717 | Polyimide | Permanent | White | Gloss | Printed Circuit Board and Component process labelling, static dissipative adhesive | ✓ | | ✓ | ✓ | ✓ | | ✓ |
| B-718 | Polyimide | Permanent | White | Gloss | Printed Circuit Board and Component process labelling, static dissipative adhesive | ✓ | | ✓ | ✓ | ✓ | | ✓ |
| B-719 | Polyimide | Permanent | White | Matt | Printed Circuit Board and Component process labelling, static dissipative adhesive | ✓ | | ✓ | ✓ | ✓ | | ✓ |
| B-724 | Polyimide | Permanent | Amber | Matt | Printed Circuit Board and Component process labelling | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| B-727 | Polyimide | Permanent | White | Gloss | Printed Circuit Board and Component process labelling | ✓ | | ✓ | ✓ | ✓ | | |
| B-728 | Polyimide | Permanent | White | Matt | Printed Circuit Board and Component process labelling | ✓ | | ✓ | ✓ | ✓ | | |
| B-729 | Polyimide | Permanent | White | Matt | Printed Circuit Board and Component process labelling | ✓ | | ✓ | ✓ | ✓ | | |
| B-730 | Polyimide | Perment | Black | Matt | Printed Circuit Board and Component process labelling, especially designed for laser engraving | ✓ | | ✓ | ✓ | ✓ | | |
| B-731 | Polyimide | Permanent | Black | Matt | Printed Circuit Board and Component process labelling, especially designed for laser engraving, static dissipative adhesive | ✓ | | ✓ | ✓ | ✓ | | ✓ |
| B-734 | Polyimide | Permanent | White | Matt | Printed Circuit Board and Component process labelling, especially designed for laser engraving | ✓ | | ✓ | ✓ | ✓ | | |
| B-735 | Polyimide | Permanent | White | Matt | Printed Circuit Board and Component process labelling, especially designed for laser engraving, static dissipative | ✓ | | ✓ | ✓ | ✓ | | ✓ |
| B-776 | Polyimide | Permanent | Green | Gloss | Printed Circuit Board and Component process labelling | ✓ | | ✓ | ✓ | ✓ | | |
| B-777 | Polyimide | Permanent | White | Gloss | Printed Circuit Board and Component process labelling, resists to aggressive cleaning processes, ideal for small font printing | ✓ | | ✓ | ✓ | ✓ | | |
| B-7727 | Polyimide | Permanent | White | Gloss | Printed Circuit Board and Component process labelling, especially designed for auto-apply | ✓ | | ✓ | ✓ | ✓ | | |



MetaLabel Series Metallised Labels

- METALLIC APPEARANCE - NAMEPLATE QUALITY
- RESISTANCE TO HARSH CHEMICALS AND ABRASION
- TRUE METAL FILMS FOR SPEC COMPLIANCE

Brady MetaLabel Series Metallised Labels provide a durable print on demand option for rating plate and asset tag applications for a desired metallic look. These labels offer superior resistance to harsh chemicals and heavy abrasion.

Brady MetaLabel Series label materials meet certain military, SAE and other specifications and are ideal for high quality/density barcode labels, asset identification, serial and rating plates.

| B# | Base material | Adhesive | Colour | Finish | Application | Solvent | Fuel/Oil | Abrasion | High Heat | Low Temp. | Ultra Adhes. | Outdoor |
|--------|----------------------|-----------------------|-----------------|--------|-------------------------------------------------------------------------------------------------------------------------|---------|----------|----------|-----------|-----------|--------------|---------|
| B-413 | Polyester, non-metal | Permanent | Metallic Silver | Satin | Asset tracking, rating plate and general purpose labelling | | ✓ | | | | | ✓ |
| B-428 | Metallised Polyester | Permanent | Metallic Silver | Matt | Asset tracking, rating plates | ✓ | ✓ | | ✓ | ✓ | | ✓ |
| B-434 | Metallised Polyester | Permanent | Metallic Silver | Gloss | Asset tracking, rating plates, ideal for textured surfaces | ✓ | ✓ | ✓ | | ✓ | | ✓ |
| B-435 | Metallised Polyester | Permanent | Metallic Silver | Gloss | Asset tracking, rating plates | ✓ | ✓ | ✓ | | | | ✓ |
| B-480 | Polyester, non-metal | Permanent, Aggressive | Metallic Silver | Satin | Asset tracking, rating plates, high adhesion to textured metals, powder coated surfaces and low surface energy plastics | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| B-486 | Metallised Polyester | Permanent, Aggressive | Metallic Silver | Matt | Asset tracking, rating plates, high adhesion to textured metals, powder coated surfaces and low surface energy plastics | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| B-7516 | Metallised Polyester | Permanent | Metallic Silver | Matt | Asset tracking, rating plates | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ |
| B-7563 | Metallised Polyester | Permanent | Metallic Silver | Satin | Asset tracking, rating plates | ✓ | ✓ | ✓ | | ✓ | | ✓ |



ToughBond Series Aggressive Adhesive Labels

- UP TO SIX ADHESION VALUES
- FOR ROUGH OR OIL/GREASE COVERED SURFACES
- NO EXTENSIVE SURFACE PREP NEEDED

Brady ToughBond Series Aggressive Adhesive Labels are engineered for the toughest and most demanding industrial surfaces without extensive cleaning or surface preparation. These label series offer permanent identification and outstanding adhesion that is up to three times higher than standard adhesives, making it ideal for rough, powder-coated and low surface energy applications. Ideal for product and component identification, high-quality/density barcode labels, asset and inventory tracking, rating plates and general ID.

| B# | Base material | Adhesive | Colour | Finish | Application | Solvent | Fuel/Oil | Abrasion | High Heat | Low Temp. | Outdoor |
|--------|---------------|-----------------------|--------|--------|-------------------------------------------------------------------------------------------------------------------------------------|---------|----------|----------|-----------|-----------|---------|
| B-422 | Polyester | Permanent, Aggressive | White | Gloss | High adhesion to textured metals, powder coated surfaces and low surface energy plastics | | ✓ | ✓ | ✓ | ✓ | ✓ |
| B-432 | Polyester | Permanent, Aggressive | Clear | Gloss | High adhesion to textured metals, powder coated surfaces and low surface energy plastics | | ✓ | ✓ | ✓ | ✓ | ✓ |
| B-483 | Polyester | Permanent, Aggressive | White | Gloss | High adhesion to textured metals, powder coated surfaces and low surface energy plastics, excellent chemical resistance | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| B-484 | Polyester | Permanent, Aggressive | White | Gloss | High adhesion to textured metals, powder coated surfaces and low surface energy plastics, especially for angled and curved surfaces | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| B-489 | Polyester | Permanent, Aggressive | White | Matt | High adhesion to textured metals, powder coated surfaces and low surface energy plastics, excellent chemical resistance | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| B-7514 | Polyester | Permanent, Aggressive | White | Gloss | Good overall adhesion to a wide variety of substrates including low energy plastics | | ✓ | ✓ | ✓ | ✓ | ✓ |
| B-7515 | Polyester | Permanent, Aggressive | White | Matt | Good overall adhesion to a wide variety of substrates including low energy plastics | | ✓ | ✓ | ✓ | ✓ | ✓ |



Need to reference material performance information?

Learn more about specific materials with Brady's Technical Data Sheets (TDS). Each TDS provides information about properties of the material, performance results and regulatory compliance. View them at www.bradyeurope.com.



CleanLift Series Removable Labels

- REMOVES WITHOUT SCRAPING OR SURFACE DAMAGE
- EXCELLENT SOLVENT AND HEAT RESISTANCE
- DIVERSE RANGE OF APPLICATIONS

Brady CleanLift Series Removable Labels are engineered for durable and long-lasting performance. Our custom removable adhesives allow for clean and easy removal when ready to pull off — no damage to surfaces or scraping required.

These removable labels offer good solvent and heat resistance and are ideal for identifying electronic and other components, work in process identification and general purpose applications.

| B# | Base material | Adhesive | Colour | Finish | Application | Solvent | Fuel/Oil | Abrasion | High Heat | Low Temp. | Removable | Outdoor |
|-------|---------------|-----------------------|-----------------------|--------|----------------------------------------------------------------------------------------------------------------------|---------|----------|----------|-----------|-----------|-----------|---------|
| B-408 | Paper | Removable | White | Matt | General labeling and barcoding applications where the label needs to be removed or repositioned | | | | | | ✓ | |
| B-449 | Polyolefin | Removable, aggressive | White | Matt | Temporary Component/Equipment ID, Barcoding, Asset tracking, Rating plates, General ID, requiring solvent resistance | | | | | ✓ | ✓ | |
| B-498 | Vinyl cloth | Removable, aggressive | White, Yellow, Orange | Gloss | Temporary Component/Equipment ID, Barcoding, Asset tracking, especially for angled and curved surfaces | | | ✓ | | ✓ | ✓ | |
| B-533 | Polyester | Removable | White | Gloss | Temporary Component/Equipment ID, Barcoding, Asset tracking, Rating plates, General ID | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |



VisAlert Series Indicating Labels

- IMMEDIATE VISUAL INDICATION OF WATER OR HEAT EXPOSURE
- CONTINUALLY MONITOR PRODUCT, COMPONENTS OR EQUIPMENT
- VARIOUS RANGES AND DESIGNS

Brady VisAlert Series Indicating Labels are designed to provide immediate visual indication of water or heat exposure. Water indicating labels change from white to bright red when exposed to water, without triggering false positives. Temperature indicating labels offer continuous monitoring and records a permanent, irreversible reading for the highest temperature attained.

These labels can prevent frequent breakdowns and shortened equipment life due to overuse or exposure to harmful elements as well as prevent fraud or product misuse. Ideal for motors, gear boxes, electrical equipment and product or component monitoring, these labels are available in various designs and ranges.

| B# | Base material | Adhesive | Colour | Finish | Application | Fuel/Oil | High Heat | Low Temp. | Water Ind. | Temp. Ind. |
|--------|---------------|-------------------|--------|--------|-------------------------------------------|----------|-----------|-----------|------------|------------|
| B-350 | Polyester | Permanent Acrylic | White | Gloss | Liquid indicating label | ✓ | | | ✓ | ✓ |
| B-7511 | Polyester | Permanent Acrylic | White | Gloss | Irreversible temperature indicating label | | | | | ✓ |
| B-7512 | Polyethylene | Permanent Acrylic | Clear | Gloss | Irreversible temperature indicating label | | ✓ | | | ✓ |
| B-7518 | Polyester | Permanent Acrylic | Clear | Gloss | Reversible temperature indicating label | | | | | ✓ |



Brady Offers Custom Labels!

Don't see a stock label in the size, configuration or colour needed for your particular application? Brady offers custom label capabilities, including size, pre-printed messages or logos, colours and more! Ask your Brady contact for more information on how to order your custom labels.

Brady Printing Solutions for Label Making

Whether it's a small hand-held printer, a large industrial printer or a user-friendly software program, Brady has the solution for your label and identification needs.

Brady's industrial printers and portable label makers offer a reliable, on-demand labelling solution to meet your component and equipment identification and traceability requirements. Designed with thermal transfer printing capabilities, our printers create clear and professional-looking labels — with the durability to withstand even the harshest environments.

Brady also offers several label software programs, to make labelling fast and easy. CodeSoft Software allows you to design and print custom labels for even the most complex barcode and labelling projects. Ideal for designing and printing custom labels for product identification and tracking. LabelMark Labelling Software is a fast way to create and print professional, accurate and legible labels. With built-in templates, wizards and more, LabelMark software simplifies label making for electrical, industrial, aerospace, laboratory and telecom industries.



Scan the QR code for more information

Learn more now about Brady label materials at www.bradyeurope.com

BRADY WHEN PERFORMANCE MATTERS MOST™

Africa

Randburg, South Africa
Tel.: +27 11 704 3295
Email: africa@bradycorp.com

Benelux

Zele, Belgium
Tel.: +32 (0) 52 45 78 11
Email: benelux@bradycorp.com

Central & Eastern Europe

Bratislava, Slovakia
Tel.: +421 2 3300 4800
Email: central_europe@bradycorp.com

Denmark

Odense
Tel.: +45 66 14 44 00
Email: denmark@bradycorp.com

France

Roncq
Tel.: +33 (0) 3 20 76 94 48
Email: france@bradycorp.com

Germany, Austria & Switzerland

Egelsbach, Germany
Tel.: +49 (0) 6103 7598 660
Email: germany@bradycorp.com

Hungary

Budaörs
Tel.: +36 23 500 275
Email: central_europe@bradycorp.com

Italy

Gorgonzola
Tel.: +39 02 26 00 00 22
Email: italy@bradycorp.com

Middle East FZE

Dubai, UAE
Tel.: +971 4881 2524
Email: me@bradycorp.com

Norway

Kjeller
Tel.: +47 70 13 40 00
Email: norway@bradycorp.com

Romania

Bucharest
Tel.: +40 21 202 3032
Email: central_europe@bradycorp.com

Russia

Moscow
Tel.: +7 495 269 47 87
Email: central_europe@bradycorp.com

Spain & Portugal

Madrid, Spain
Tel.: +34 900 902 993
Email: spain@bradycorp.com,
portugal@bradycorp.com

Sweden, Finland, Baltic states

Kista, Sweden
Tel.: +46 (0) 8 590 057 30
Email: sweden@bradyeurope.com

Turkey

Istanbul
Tel.: +90 212 264 02 20 / 264 02 21
Email: turkey@bradycorp.com

UK & Ireland

Banbury, UK
Tel.: +44 (0) 1295 228 288
Email: uk@bradycorp.com



To help minimise our impact on the environment, Brady limits its number of reprints. Updated versions are always available for download on www.bradyeurope.com.

Search for: EUR-0-417-ENb

Your distributor